

SAFETY DATA SHEET

STATEMENT OF HAZARDOUS NATURE

1. COMPANY DETAILS

Company: Blackfast Australia

Address: 11 Timana Avenue, Mermaid Waters QLD 4218

Telephone Number: +61 7 5554 5411 Emergency Telephone Number: 000

2. IDENTIFICATION

Product Name: BLACKFAST 181 BLACKING SOLUTION

Other names:

Manufacturer's Code:

UN Number:

Dangerous Goods Class:

Subsidiary Risk:

Hazchem Code:

Poisons Schedule:

None

Use: Blacking of iron and steel at room temperature.

Physical Description / Properties

Appearance: Blue liquid Boiling Point: 100

Melting Point:
Vapour Pressure:
Not available
Not available

Specific Gravity: 1.18

Flashpoint:

Flammability Limits:

Solubility in water:

pH:

Not Applicable

Not Applicable

Complete

3.5-4.0

Ingredients

Chemical NameCAS NumberProportion (%)selenium compound, as Se7782-49-2<1</td>copper compound, as Cu7740-50-8<1</td>nickel compound, as Ni7440-02-0<1</td>water7732-18-5>60

3. HEALTH HAZARD INFORMATION

Health Effects

Acute:

Swallowed: Ingestion may cause vomiting and diarrhoea.

Eye: Irritating to the eyes.

Skin: Local contact may cause irritation of the skin.

Inhaled: The vapour may be discomforting to the respiratory tract.

Inhalation may cause coughing.

Chronic: Principal route of exposure is usually by skin contact. Prolonged

or repeated contact with the skin may cause dermatitis.

Issue No: Blacking Solution Date: April 23 Page No: 1 of 3

First Aid

Swallowed: Gargle, rinse mouth and drink plenty of water. Do not induce

vomiting. Seek medical aid.

Eye: Flush with clean water immediately for 10 minutes. Seek

medical aid

Skin: Remove contaminated clothing and wash skin with plenty of

water. Seek medical aid.

Inhaled: Remove to fresh air. Seek medical aid.

First Aid Facilities: Eye wash unit.

Advice to Doctor: Treat symptomatically.

4. PRECAUTIONS FOR USE

Exposure Standards: Not available for Protec Blacking solution.

For the constituents:

Copper: ES TWA 1 mg/m3 Selenium: ES TWA 0.2 mg/m3 Nickel: ES TWA 1 mg/m3

Engineering Controls: Local exhaust ventilation is recommended when in continuous u

use.

Personal Protection: Wear impervious (PVC) gloves, eye protection(safety glasses)

and plastic apron.

Flammability: Not flammable under conditions of use.

SAFE HANDLING INFORMATION

5. STORAGE AND TRANSPORT

Suitable Container: Check that containers are clearly labelled. Store according to Manufacturer's

recommendations. Keep container closed.

Storage Incompatibility: Avoid sources of ignition. Avoid temperatures above 40 deg. C and below 5 deg.

C.

Storage Requirements: Store in clean, dry conditions. Prevent from freezing. Keep containers securely

sealed. Protect against physical damage.

Transport: No restrictions on transport.

6. SPILLS AND DISPOSAL:

Minor Spill: Clean up spill. Use protective equipment. Absorb spill with vermiculite or sand.

Wash area with water.

Major Spill: Contact Fire Brigade and tell them the nature and location of the spill. Stop leak

if safe to do so. Wear protective equipment. Absorb liquid with absorbent

material such as sand or vermiculite. Prevent entry into drains, sewers and water

courses.

Disposal: Disposal must be in accordance with local and national legislation. Dispose

through an authorised waste contractor to a licensed site.

Issue No: Blacking Solution Date: April 23 Page No: 2 of 3

7. FIRE/EXPLOSION HAZARD:

Flammability: Non flammable. Will not support combustion.

Decomposition products: Oxides of Carbon, Phosphorus,

Selenium, Chlorine and Chlorine Oxides.

Fire Fighting Media: No restrictions on the type of media used.

Fire Incompatibility:

None known.

Stability and Reactivity: Solution is stable under normal conditions. Irritant gases maybe

released above 50 deg. C.

8. REGULATORY INFORMATION

Hazardous Ingredients: Selenium, Copper and Nickel Compounds

Symbol: Xn

Risk Phrases: R20/22 R33 R36/38 Harmful by inhalation and if swallowed.

danger of cumulative effects. Irritating to eyes and skin.

Safety Phrases: When using, do not eat, drink or smoke. After contact with skin,

wash immediately with plenty of water. In case of accident or if you feel unwell, seek medical advice (show the label where

possible).

Statutory Instruments QLD: Workplace Health and Safety Act 1995; Hazardous Substances

Advisory Standard Workplace Health & Safety regulation 1997 National Occupational Health and Safety Commission List of Designated Hazardous Substances [NOHSC:10005(1999)]; Commissions Approved Criteria for Classifying Hazardous

National Commissions Approved Criteria for Classifying Hazardous

Substances

9. OTHER INFORMATION:

Read the Application Data Sheet before using this or any Blackfast Australia product. The product is intended for the stated use only. Do not use the product for any other application without obtaining advice from us beforehand.

If this product is for resale, ensure that the purchaser receives a copy of this information.

If this product is for end use, ensure that your employees and others who may be affected are aware of the contents of this sheet.

10. CONTACT POINT:

JOHN LINES: 07 5554 5411

AUSTRALIAN POISONS INFORMATION CENTRE 24 HR SERVICE 131126 POLICE, FIRE BRIGADE OR AMBULANCE 000

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Issue No: Blacking Solution Date: April 23 Page No: 3 of 3